- Local Health Departments -----

	000 Populat			MA Waiver Progra	ams		Staffing
	tion per so y ranking :				Clients	Costs	Total s
County	y ranking .	in state (1-72) 3	COP	87	\$149,494	Adminis
7.00	Female	Male	Total	MA Waiver *	0 /	Ş149,494	Profess
Age 0-14	20,430		41,960	CIP1A	7	\$243,733	Technic
15-19	6,660	7,360	14,010	CIPIA CIP1B	53		Support
-	5,050	5,560	10,600	CIPIB CIP2	56		Support
20-24 25-29	5,510	5,500	11,120	CIPZ COP-W	87		Funding
30-34				CSLA	6 / 5		Total
30-34 35-39		6,720	13,420	Brain Injury		\$15,347	Local 7
40-44	7,970	7,920	15,890 16,120	Total COP/Wvrs		\$52,865 \$1,988,975	LOCAL
45-54	8,070 13,090	8,040 13,170	26,260	TOTAL COP/WVIS	220	\$1,900,975	
55-64	8,260	7,980	16,240	69/11 2/12 of	the shorre	waiver costs	
65-74	6,500	5,510	12,010	were paid as lo			Type
	5,120	3,260	8,380	using COP funds			Bed & E
	2,020			not included in			Camps
Total			188,830	liot illetaded il	ii above c	OF COSCS.	Hotels,
iocai	23,370	J3,400	100,030	* Waiver costs	reported	here	Tourist
Age	Female	Male	Total	* Waiver costs reported here include federal funding.		Pools	
0-17	24,830			Include react	ai ididiii	.9•	Restaur
18-44	35,560	36,610	72,160		Clients	costs	Vending
45-64			42,500	Eligible and	CIICIICD		VCIIGIIIS
65+		9,600		Waiting	257	n/a	
Total	95,370		188,830	Watering	237	11/ 4	
IOCAI	337370	33,100	100,030	(Family Care not	t provide	d in county)	
Poverty	Estimates	for 1997		(ramily care no	c provide	a iii coaiicy,	
roverey		imate	(C, T, +/-)				
All ag				Note: Eligible a	and waiti	ng clients	Pregnar
1111 013	-	16,905 9.1%	(2%)	will be phase			Infants
Ages (0-17	7.195	1.789	Waivers as ava		.0 001 0.110 121	Childre
5		14.2%					Total
			(/				
	Emp	Loyment		1		ĺ	
	wage for jo			Home Health Age	ncies	2	
	loyment cor			Patients		570	
y unemo.	TOAINETIC COL	INCIIDALIOII	004,001	Patients		5/U I	

Annual

86,638

4.7%

4,310

Average 90,948

Note: based on place of work

Labor Force Estimates

Civilian Labor Force Number employed

Number unemployed

Unemployment rate

Home Health Agencies Patients Patients per 10,000 pop.	2 570 30
Nursing Homes Licensed beds Occupancy rate Residents on Dec.31 Residents age 65 or older per 1,000 population	8 1,082 86.0% 987 38

		Per 10,000
Staffing - FTE	Number	Population
Total staff	45	3.5
Administrative	6	0.5
Professional stat	Ef 26	2.0
Technical/Parapro	of. 3	0.4
Support staff	10	0.7
Funding Total Local Taxes	\$2,534,927 \$1,879,509	Per capita \$19.32 \$14.33

-- Licensed Establishments -----

Туре	Capacity	Facilities
Bed & Breakfast	36	10
Camps	642	6
Hotels, Motels	1,342	26
Tourist Rooming	3	1
Pools		55
Restaurants		644
Vending		31
WIC Par	rticipants	

	Number
Pregnant/Postpartum	2,302
Infants	2,450
Children, age 1-4	3,229
Total	7,981

---- Cancer Incidence -----

Primary Site	1999 Number
Breast	174
Cervical	29
Colorectal	139
Trachea, Bronchus, Lung	127
Prostate	136
Other sites	348
Total	953

·---- NATALITY ----------TOTAL LIVE BIRTHS 2,650 First 950 36
Crude Live Birth Rate 14.0 Second 907 34
General Fertility Rate 66.3 Third 498 19 Live births with reported congenital anomalies 25 0.9% First Prenatal Births Percent of Mother VisitBirthsPercent1st trimester2,142812nd trimester34013
 Vaginal after previous cesarean
 52
 2
 2nd trimester
 2,142
 81
 Some high school
 414
 16

 Forceps
 91
 3
 3rd trimester
 340
 13
 High school
 892
 34

 Other vaginal
 2,047
 77
 No visits
 38
 1
 College graduate
 596
 22

 Primary cesarean
 303
 11
 Unknown
 25
 1
 Unknown
 8
 <.5</td>

 Repeat cesarean
 157
 6
 Other or unknown
 0
 Number of Prenatal
 Smoking Status
 DeliveryTypeBirthsPercentVaginalafter Elementary or less 105 4 Care visits Births Percent of Mother Births Percent | No visits | 38 | 1 | Smoker | 508 | 1 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | Birthweight_ 81 1 <.5 Low Birthweight Trimester of First Prenatal Visit | Company | Comp Age of Mother <15 15-17 18-19
 18-19
 242
 107
 24
 9.9
 163
 67
 54
 22
 25
 10

 20-24
 664
 132
 56
 8.4
 493
 74
 121
 18
 50
 8

 25-29
 714
 130
 34
 4.8
 615
 86
 62
 9
 37
 5

 30-34
 581
 87
 39
 6.7
 516
 89
 43
 7
 22
 4

 35-39
 285
 36
 22
 7.7
 257
 90
 19
 7
 9
 3

 40+
 54
 7
 7
 13.0
 46
 85
 5
 9
 3
 6

 Unknown
 0
 - .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 <t

		_		
REPORTED*	CASES	\cap F	SELECTED	DISEASES

Disease	Number
Campylobacter Enteritis	21
Giardiasis	13
Hepatitis Type A	24
Hepatitis Type B**	9
Hepatitis NANB/C	81
Legionnaire's	<5
Lyme	<5
Measles	***
Meningitis, Aseptic	11
Meningitis, Bacterial	6
Mumps	***
Pertussis	***
Salmonellosis	18
Shigellosis	17
Tuberculosis	<5

- 2000 provisional data
- ** Includes all positive HBsAg test results
- *** Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	669
Genital Herpes	112
Gonorrhea	372
Syphilis	<5

----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	35,712
Non-compliant	648
Percent Compliant	98 2

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS 1,616 Crude Death Rate 856

Age	Deaths	Rate
1-4	5	
5-14	4	
15-19	10	
20-34	34	97
35-54	165	283
55-64	152	937
65-74	301	2,507
75-84	446	5,322
85+	482	16,936

Infant

Mortality	Deaths	Rate
Total Infant	17	•
Neonatal	13	
Postneonatal	4	
Unknown		

Race of Mother		
White	13	
Black	4	
Other		
Unknown		
Rirthweight		

DII CIIWCIGIIC		
<1,500 gm	11	
1,500-2,499 gm	1	
2,500+ gm	5	
Unknown	•	

Perinatal		
Mortality	Deaths	Rate
Total Perinatal	21	7.9
Neonatal	13	
Fetal	8	

Selected

Underlying Cause	Deaths	Rate		
Heart Disease (total)	423	224		
Ischemic heart disease	e 292	155		
Cancer (total)	350	185		
Trachea/Bronchus/Lung	90	48		
Colorectal	36	19		
Female Breast	36	38*		
Cerebrovascular Disease	e 121	64		
Lower Resp. Disease	67	35		
Pneumonia & Influenza	46	24		
Accidents	72	38		
Motor vehicle	34	18		
Diabetes	51	27		
Infectious & Parasitic	19			
Suicide	33	17		

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	20	11
Other Drugs	27	14
Both Mentioned	4	

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	
Total Crashes	2,660	27
Alcohol-Related	292	15
With Citation:		
For OWI	232	5
For Speeding	200	1
Motorcyclist	58	8
Bicyclist	56	2
Pedestrian	86	1

------ HOSPITALIZATIONS ------

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average	Charge Per Capita
Injury-Related	l: All					Alcohol-Relate	ed.				
Total	1,505	8.0	5.5	\$15,329	\$122	Total	320	1.7	4.8	\$5,994	\$10
<18	167	3.3		\$13,039	\$43	18-44	178	2.5	4.2	\$4,709	\$12
18-44	400	5.5		\$15,338	\$85	45-64	118	2.8	5.1	\$6,772	\$19
45-64	347	8.2		\$15,735	\$128	Pneumonia and	_	2.0	3.1	70///2	717
65+	591	25.4		\$15,730	\$400	Total	741	3.9	6.0	\$10,471	\$41
Injury: Hip		23.1	0.0	Q137730	Ψ100	<18	62	1.2	3.1	\$5,339	\$6
Total	177	0.9	7 1	\$17,778	\$17	45-64	134	3.2		\$11,673	\$37
65+	162	7.0		\$18,155	\$127	65+	455	19.6		\$11,053	\$216
Injury: Pois		7.0	7.5	φ10,133	Υ12 /	Cerebrovascula		17.0	0.0	φ ΙΙ, 000	γZIO
Total	113	0.6	1.7	\$4,708	\$3	Total	587	3.1	6 4	\$15,265	\$47
18-44	62	0.9		\$4,067	\$3	45-64	115	2.7		\$22,333	\$60
10 11	02	0.7	1.5	φ1,007	ŲΣ	65+	445	19.2		\$12,806	\$245
Psychiatric						Chronic Obstru				\$12,000	γ Δ43
Total	1,541	8.2	9.1	\$7,404	\$60	Total	443	2.3	3.9	\$6,558	\$15
<18	402	7.9	7.5	\$5,887	\$46	<18	83		2.2	\$3,486	\$6
18-44	714	9.9	9.4	\$7,418	\$73	18-44	73		2.2	\$4,931	\$5
45-64	265	6.2		\$8,117	\$73 \$51	45-64	97		4.3	\$7,099	\$16
45-64 65+	160	6.9	9.6		\$69	65+	190	8.2	4.3		
05+	100	0.9	9.6	\$9,964	\$69		190	8.2	4.9	\$8,248	\$67
Commonwer Hoomb	Diana					Drug-Related	111	0.6	4.4	÷4 4C0	d a
Coronary Heart		<i>c</i> 0	2 0	410 560	4110	Total	114 72			\$4,469	\$3
Total	1,134	6.0		\$19,569	\$118	18-44	12	1.0	4.1	\$3,678	\$4
45-64	448	10.5		\$19,687	\$208						
65+	626	26.9	4.2	\$19,710	\$531	Total Hospital		100 5	1 6	410 200	41 000
						Total	23,123			\$10,387	
Malignant Neop	-	-			+= 0	<18	4,296	84.3		\$5,230	\$441
Total	797	4.2		\$18,433	\$78	18-44	6,380	88.4		\$7,984	\$706
18-44	58	0.8		\$20,885	\$17	45-64		108.1			\$1,434
45-64	278	6.5		\$18,838	\$123	65+	7,855	338.1	6.0	\$13,474	\$4,555
65+	448	19.3		\$17,131	\$330						
Neoplasms: F					-	P:					
Total	_ 49	0.5	2.3	\$11,281	\$6	Total	3,054	16.2	4.8	\$8,377	\$135
Neoplasms: C						<18	308	6.0		\$5,272	\$32
Total	106	0.6		\$21,494	\$12	18-44	433	6.0		\$7,246	\$43
65+	82	3.5	9.0	\$21,960	\$78	45-64	625			\$9,124	\$134
Neoplasms: L						65+	1,688	72.7	5.4		\$651
Total	94	0.5	6.9	\$17,357	\$9	* Hospitalization ambulatory care c					
Diabetes						The definition of					
Total	281	1.5	5.0	\$11,058	\$16	is consistent wi					
65+	90	3.9		\$12,279	\$48	Please refer to t				this page	e in the
	-	- · ·	-	, , ,	, -	1997 report for an explanation of the change made between 1996 and 1997.					